# **Product datasheet**

Specifications





## Trailing lead, Unica extend, 3 Schuko, swicthable, USB type A+A, 3m cable, anthracite

STOVSLISE

### Main

_	
Range	Unica
Product Or Component Type	Trailing lead
Aesthetic Name	Unica extend
Control Type	Mains switch
Integrated Connection Type	2 USB type A 5 V DC, maximum load current: 2.4 A
Colour Tint	Anthracite (RAL 7021)
Cable Length	3 m

### Complementary

Type Of Usb Power Supply	USB type A + A
[Ue] Rated Operational Voltage	250 V
[In] Rated Current	16 A
Outlet Poles Configuration	2P + E
Outlet Standard	Schuko
Socket Additional Information	Shuttered
Maximum Switching Capacity	16 A
Pilot Light	ON indicator
Material	PP (polypropylene)
Material Length	PP (polypropylene) 254 mm
Length	254 mm
Length Width	254 mm 57 mm
Length Width Depth	254 mm  57 mm  40.5 mm
Length Width Depth Type Of Packing	254 mm  57 mm  40.5 mm  Blister

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	5.5 cm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	32.5 cm
Package 1 Weight	605.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.8 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	96
Package 3 Height	77.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	70.9 kg



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

#### Resource performance



Sustainable Packaging

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information