Product datasheet

Specifications





Trailing lead, Unica extend, 5 Schuko, swicthable, USB type A+A, 1.5m cable, anthracite

ST945U1B

Main

Range	Unica
Product Or Component Type	Trailing lead
Aesthetic Name	Unica extend
Control Type	Mains switch
Integrated Connection Type	2 USB type A 5 V DC, maximum load current: 2.4 A
Colour Tint	Anthracite (RAL 7021)
Cable Length	1.5 m

Complementary

Type Of Usb Power Supply	USB type A + A
[Ue] Rated Operational Voltage	250 V
[In] Rated Current	16 A
Outlet Poles Configuration	2P + E
Outlet Standard	Schuko
Socket Additional Information	Shuttered
Maximum Switching Capacity	16 A
Pilot Light	ON indicator
Material	PP (polypropylene)
Length	339 mm
Width	57 mm
Depth	40.5 mm
Type Of Packing	Blister
Socket Number	5
Surface Treatment	Untreated
Number Of Usb Connection	2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	13.6 cm

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Length	41.5 cm
Package 1 Weight	467.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	24
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	14.887 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	96
Package 3 Height	77.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	68.048 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Yes

Sustainable Packaging Transparency RoHS/REACh

Resource performance

Sustainable Packaging

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information